



DC power supply system DCS

Flexible modular DC power supply system that can be customized

From 12VDC up to 220VDC

Complete solution with rectifiers, monitoring, battery centrals, distribution centrals, inverters, DC/DC, and more.

Wall or floor cabinets in different sizes

Battery shelves for different types of batteries

Complete documentation with schematics and manuals in paper and electronic format

Made in Sweden



Subject to change without notice
Copyright © DC-Design AB
B1945-2

Examples of components

Rectifier

Input voltage 230VAC
Output voltage 12-220VDC
Power 150-1600W
Parallel connection for more than 1600W
Power factor >0,98 at max load
Temperature compensated charging voltage

Monitoring

Rectifier fault
Voltage fault
Temperature fault
High voltage
Low voltage
Earth fault
Battery circuit test
Battery temp
Relay outputs

Battery central BC-5, BC-7 or BC-10

Pole separated with knife fuses size 00
For protecting rectifiers, inverters, batteries, distribution, and more.
Test load connector with separate CEE output

Group central GCA-6/GCA-12/GCD-8

2 pole centrals with 6 or 12 groups of MCB or 8 groups of diazed DII
Voltage present monitoring with sum alarm relay
Indication with green LED for each group when voltage is present

Other components

Breaker for redundant systems
DC/DC
Inverters

Cabinets

Wall or floor
Smoked glass door with lock
Removable side and back panels
Color: RAL7035
Ingress Protection: IP20
Cable input from top or bottom
Ambient temperature: 0 to +40°C
Dimensions in different sizes

Battery

Internal: Ventilated
External: Any type



For information, ordering and service:



Tel: +46 (8) 522 478 30
info@dcpartner.se, www.dcpartner.se
Box 401, 184 26 ÅKERSBERGA



Subject to change without notice
Copyright © DC-Design AB
B1945-2